



Palets  
Pla d'Urgell s.l.  
donem més vida a la fusta



[www.paletspladurgell.cat](http://www.paletspladurgell.cat)



973 580 475



[info@paletspladurgell.cat](mailto:info@paletspladurgell.cat)



# EKO-KWW



Palets Pla d'Urgell. Crta. de Bellpuig s/n,  
25260 Ivars d'Urgell - Lleida

Fabricado por:

**ELEKTROMET**®

ELEKTROMET se reserva el  
derecho de hacer cambios  
técnicos



# EKO-KWW

Parámetros	Unidades	EKO KWW 14	EKO KWW 18	EKO KWW 23	EKO KWW 28	EKO KWW 33
Número de catálogo		413-14-100	413-18-100	413-23-100	413-28-100	413-33-100
Potencia nominal	kW	14	18	23	28	33
Eficiencia máxima	%	80	80	80	80	80
Capacidad del contenedor de combustible	kg	22	30	38	48	76
Presión de trabajo máxima	bar	2,5	2,5	2,5	2,5	2,5
Temperatura mín/máx	°C	55/85	55/85	55/85	55/85	55/85
Diámetro del conector de la chimenea	mm	160	160	160	160	160
Tiro mínimo de la chimenea	Pa	20-35	20-35	20-35	20-35	20-35
Peso de la caldera sin agua	kg	190	220	240	280	310

\* **Combustibles:** Briquetas, leña y carbón.

\* **Opción de apertura de las puertas a la derecha o izquierda de la caldera. Es necesario definirlo al hacer el pedido.**





# EKO-KWW

Dimensiones	EKO KWW 14	EKO KWW 18	EKO KWW 23	EKO KWW 28	EKO KWW 33
<b>A</b>	445	445	485	510	550
<b>B</b>	1145	1205	1245	1290	1390
<b>C</b>	760	760	840	890	940
<b>D</b>	615	615	695	745	795
<b>E</b>	845	905	945	990	1090
<b>F</b>	80	80	80	80	80
<b>G</b>	380	430	430	455	490
<b>H</b>	1245	1305	1345	1390	1490
<b>I</b>	1005	1065	1105	1150	1250

